Acta Physiol Scand 1997, **160**, 423–425

Author index

Ahlman, H. *see* Timar Peregrin, A.
Ahrén, B. *see* Larsson, H.
Akgören, N. *see* Barfod, C.
Alm, P. *see* Mellander, S.
Alonso-Galicia, M. *see* Rodríguez-Martínez, M.
Amici, D. see Miano, A.
Asano, K.,Yanagidaira,Y., Yoshimura, K. & Sakai, A. The cGMP pathway is not responsible for the blunted hypoxic vasoconstriction in rat lungs after altitude exposure, 393
Asea, A. *see* Jonsdottir, I. H.
Assender, J. W., Irenius, E. & Fredholm, B. B. 5-Hydroxytryptamine, angiotensin and bradykinin transiently increase intracellular calcium concentrations and PKC-α activity, but do not induce mitogenesis in human vascular smooth muscle cells, 207

Bannenberg, G. L., Giammarresi, C. & Gustafsson, L. E. Inhaled carbon dioxide inhibits lower airway nitric oxide formation in the guinea pig, 401
Barfod, C., Akgören, N., Fabricius, M., Dirnagl, U. & Lauritzen, M. Laser-Doppler measurements of concentration and velocity of moving blood cells in rat cerebral circulation, 123
Bastide, B. *see* Catinot, M. P.
Batra, S. *see* Gao, M.
Bert, J. L. & Reed, R. K. Pressure-volume studies for rat dermis: compression studies, 89
Bill, A. *see* Wang, L.
Björnberg, J. *see* Mellander, S.
Bonazzola, P. *see* Marquez, M. T.
Bouvier, F. *see* Jensen-Urstad, K.
Bramucci, M. see Miano, A.
Brito-Orta, D. *see* Rodríguez-Martínez, M.
Buckworth, J., Convertino, V. A., Cureton, K. J. & Dishman, R. K. Increased finger arterial blood pressure after exercise detraining in women with parental hypertension: autonomic tasks, 29
Burge, C. M. *see* McConnell, G. K.

Catinot, M. P., Bastide, B., Montel, V., Suarez-Kurtz, G. & Mounier, Y. Effect of bovine serum albumin on the calcium release channel of sarcoplasmic reticulum from rabbit skeletal muscle, 199
Chen, Y.-M. *see* Whitson, P. A.
Christensen, S. *see* Nielsen, S. H.
Consolini, A. *see* Marquez, M. T.
Convertino, V. A. *see* Buckworth, J.
Crenshaw, A. G. *see* Gerdle, B.
Crenshaw, A. G., Karlsson, S., Gerdle, B. & Fridén, J. Differential responses in intramuscular pressure and EMG fatigue indicators during low vs. high level isometric contractions to fatigue, 353
Cureton, K. J. *see* Buckworth, J.
Cvek, K., Gerstberger, R., Schütz, H. & Olsson, K. The goat mammary gland as a target organ for atrial natriuretic peptide, 9

Dahlström, M., Esbjörnsson Liljedahl, M., Gierup, J., Kaijser, L. & Jansson, E. High proportion of type 1 fibres in thigh muscle of young dancers, 49
Dávila-Esqueda, E. *see* Rodríguez-Martínez, M.
Delbro, D. S. *see* Nilsson, B.
Dirnagl, U. *see* Barfod, C.
Dishman, R. K. *see* Buckworth, J.

Ebeling, P. *see* Tuominen, J. A.
Ekelund, U. *see* Mellander, S.
Eklöf, A.-C. The natriuretic response to a dopamine DA_1 agonist requires endogenous activation of dopamine DA_2 receptors, 311
Ekström, J. *see* Mirfendereski, S.
Ericson, M. *see* Jensen-Urstad, K.
Erjefält, I. *see* Greiff, L.
Erjefält, J. S. *see* Greiff, L.
Esbjörnsson Liljedahl, M. *see* Dahlström, M.

Fabricius, M. *see* Barfod, C.
Fiebig, R. *see* Leichtweis, S. B.
Fredholm, B. B. *see* Assender, J. W.,
Fridén, J. *see* Crenshaw, A. G.
Fridén, J. *see* Gerdle, B.

Gao, M. *see* Suzuki, J.
Gao, M., Batra, S., Koyama, T., Yahata, T. & Kuroshima, A. The capillarity of the subendocardium of left ventricle in rats reared at low temperature for many generations, 67
Geary, G. G. Maeda, G. & Gonzalez Jr, R. R. Endothelium-dependent vascular smooth muscle relaxation activated by electrical field stimulation, 219
Gerdle, B. *see* Crenshaw, A. G.
Gerdle, B., Karlsson, S., Crenshaw, A. G. & Fridén, J. The relationships between EMG and muscle morphology throughout sustained static knee extension at two submaximal force levels, 341
Gerstberger, R. *see* Cvek, K.
Giammarresi, C. *see* Bannenberg, G. L.
Gierup, J. *see* Dahlström, M.
Gobbetti, A. see Miano, A.
Gonzalez Jr, R. R. *see* Geary, G. G.
Greiff, L., Erjefält, I., Erjefält, J. S., Wollmer, P., Sundler, F. & Persson, C. G. A. Effects of topical platelet activating factor on the guinea pig tracheobronchial mucosa *in vivo*, 387
Greitz, D., *see* Stånge, K.
Grönlund, J. *see* Kääpä, P.
Gustafsson, L. E. *see* Bannenberg, G. L.
Gutiérrez, A. M. *see* Kornfeld, M.

Håkanson, R. *see* Mirfendereski, S.
Halkola, L. *see* Kääpä, P.
Hällgren, A., Wilander, E. & Nylander, O. Acid-induced increase in duodenal mucosal permeability is augmented by nitric oxide inhibition and vasopressin, 363
Hanel, B. *see* Pott, F.
Hargreaves, M. *see* McConnell, G. K.
Heiman, M. L. *see* Tuominen, J. A.
Hellstrand, K. *see* Jonsdottir, I. H.
Hemlin, M. & Huang, X. Na^+/glucose cotransport in the colonic adenocarcinoma cell line HT29 cl.19 A: effect of cAMP, 185

© 1997 Scandinavian Physiological Society

Hindmarsh, T. *see* Stånge, K.
Hoffmann, P. *see* Jonsdottir, I. H.
Holm, L., *see* Synnerstad, I.
Holst, J. J. *see* Larsson, H.
Homma, S. *see* Kagaya, A.
Huang, X. *see* Hemlin, M.
Huxley, V. H., Williams, D. A., Meyer Jr, D. J. & Laughlin, M. H. Altered basal and adenosine-mediated protein flux from coronary arterioles isolated from exercise trained pigs, 315

Ide, K. *see* Pott, F.
Ingvar, M. *see* Stånge, K.
Irenius, E. *see* Assender, J. W.

Jahnukainen, T. *see* Kääpä, P.
Jansson, E. *see* Dahlström, M.
Jensen-Urstad, K., Storck, N., Bouvier, F., Ericson, M., Lindblad, L. E. & Jensen-Urstad, M. Heart rate variability in healthy subjects is related to age and gender, 235
Jensen-Urstad, M. *see* Jensen-Urstad, K.
Ji, L. L. *see* Leichtweis, S. B.
Jodal, M. *see* Timar Peregrin, A.
Jodal, M. *see* Timar Peregrin, A.
Johansson, C. & Thorén, P. The effects of triiodothyronine (T_3) on heart rate, temperature and ECG measured with telemetry in freely moving mice, 133
Johansson, C. *see* Jonsdottir, I. H.
Johansson, M. *see* Mu, J. Y.
Johansson, P. *see* Jonsdottir, I. H.
Jonsdottir, I. H., Johansson, C., Asea, A., Johansson, P., Hellstrand, K., Thorén, P. & Hoffmann, P. Duration and mechanisms of the increased natural cytotoxicity *seen* after chronic voluntary exercise in rats, 333

Kääpä, P., Jahnukainen, T., Grönlund, J., Rautanen, M., Halkola, L. & Välimäki, I. Adenosine triphosphate treatment for meconium aspiration-induced pulmonary hypertension in pigs, 283
Kagaya, A. & Homma, S. Brachial arterial blood flow during static handgrip exercise of short duration at varying intensities studied by a Doppler ultrasound method, 257
Kaijser, L. *see* Dahlström, M.
Kanli, H. & Terreros, D. A. Transepithelial transport and cell volume control in proximal renal tubules from the teleost *Carassius auratus*, 267
Kano, Y. *see* Masuda, K.
Karlsson, S. *see* Crenshaw, A. G.
Karlsson, S. *see* Gerdle, B.
Katsuta, S. *see* Masuda, K.
Knudsen, L. *see* Pott, F.
Koivisto, V. A. *see* Tuominen, J. A.
Kornfeld, M., Gutiérrez, A. M., Persson, A. E. G. & Salomonsson, M. Angiotensin II induces a tachyphylactic calcium response in the rabbit afferent arteriole, 165
Koyama T. *see* Suzuki, J.
Koyama, T. *see* Gao, M.
Kuroshima, A. *see* Gao, M.
Kuroshima, A. *see* Suzuki, J.

Lam, H. R. *see* Nielsen, S. H.
Larsson, H., Holst, J. J. & Ahrén, B. Glucagon-like peptide-1 reduces hepatic glucose production indirectly through insulin and glucagon in humans, 413
Laughlin, M. H. *see* Huxley, V. H.
Lauritzen, M. *see* Barfod, C.
Leeuwenburgh C. *see* Leichtweis, S. B.
Leichtweis, S. B., Leeuwenburgh, C., Parmelee, D. J., Fiebig, R. & Ji, L. L. Rigorous swim training impairs mitochondrial function in post-ischaemic rat heart, 139
Lilja, C. Oxygen consumption and vital organ masses in young growing quail (*Coturnix coturnix japonica*), 113
Lindblad, L. E. *see* Jensen-Urstad, K.
Lindblom, J. *see* Uhlén, S.
Lundgren, O. *see* Mu, J. Y.
Lundgren, O. *see* Timar Peregrin, A.

Maccari, E. see Miano, A.
Maeda, G. *see* Geary, G. G.
Magid, E. *see* Nielsen, S. H.
Marquez, M. T., Consolini, A., Bonazzola, P. & Ponce-Hornos, J. E. The energetics of the quiescent heart muscle: high potassium cardioplegic solution and the influence of calcium and hypoxia on the rat heart, 229
Masuda, K., Kano, Y. & Katsuta, S. Adaptation of myoglobin in compensatory hypertrophied rat muscle, 327
McConnell, G. K., Burge, C. M., Skinner, S. L. & Hargreaves, M. Influence of ingested fluid volume on physiological responses during prolonged exercise, 149
Mellander, S., Björnberg, J., Ekelund, U. & Alm, P. Cardiovascular regulation by endogenous nitric oxide is essential for survival after acute haemorrhage, 57
Meyer Jr, D. J. *see* Huxley, V. H.
Miano, A., Bramucci, M., Murri, O., Quassinti, L., Maccari, E., Zerani, M., Gobbetti, A. & Amici, D. Presence of angiotensin converting enzyme (ACE)-activity in serum of amphibian: comparison with ACE activity of mammalian serum, 277
Mirfendereski, S., Tobin, G., Håkanson, R. & Ekström, J. Pituitary adenylate cyclase activating peptide (PACAP) in salivary glands of the rat: origin, and secretory and vascular effects, 15
Mitchell, J. H. *see* Pawelczyk, J. A.
Montel, V., *see* Catinot, M. P.
Mounier, Y *see* Catinot, M. P.
Mu, J. Y., Johansson, M. & Lundgren, O. The effects of enalapril on the natriuretic response evolked by an oral sodium load in sodium deprived normotensive and hypertensive rats, 157
Murri, O. see Miano, A.

Nielsen, H. B. *see* Pott, F.
Nielsen, S. H., Magid, E., Spannow, J., Christensen, S., Lam, H. R. & Petersen, J. S. Renal function after myocardial infarction and cardiac arrest in rats: role of ANP-induced albuminuria, 301
Nilsson, B. & Delbro, D. S. L-arginine reverses indomethacin-induced inhibition of inflammatory fluid secretion of the feline gall bladder, 195
Nowak, M. *see* Pott, F.
Nylander, O. *see* Hällgren, A.

Olesen, H. L. *see* Pott, F.
Olsson, K. *see* Cvek, K.

Padilla-Ruiz, L. *see* Rodríguez-Martínez, M.
Parmelee, D. J. *see* Leichtweis, S. B.
Pawelczyk, J. A., Pawelczyk, R. A., Warberg, J., Mitchell, J. H. & Secher, N. H. Cardiovascular and catecholamine

© 1997 Scandinavian Physiological Society

responses to static exercise in partially curarized humans, 23
Pawelczyk, R. A. *see* Pawelczyk, J. A.
Persson, A. E. G. *see* Kornfeld, M.
Persson, A. E. G. *see* Synnerstad, I.
Persson, C. G. A. *see* Greiff, L.
Petersen, J. S. *see* Nielsen, S. H.
Ponce-Hornos, J. E *see* Marquez, M. T.
Pott, F., Knudsen, L., Nowak, M., Nielsen, H. B., Hanel, B. & Secher, N. H. Middle cerebral artery blood velocity during rowing, 251
Pott, F., Ray, C. A., Olesen, H. L., Ide, K. & Secher, N. H. Middle cerebral artery blood velocity, arterial diameter and muscle sympathetic nerve activity during post-exercise muscle ischaemia, 43

Quassinti, L. see Miano, A.

Rautanen, M. *see* Kääpä, P.
Ray, C. A. *see* Pott, F.
Reed, R. K. *see* Bert, J. L. Renal function after myocardial infarction and cardiac arrest in rats: role of ANP-induced albuminuria?, 299
Rodríguez-Martínez, M., Brito-Orta, D., Alonso-Galicia, M., Padilla-Ruiz, L. & Dávila-Esqueda, E. Enhanced increase of plasma sodium pump inhibitory activity to saline expansion in vagosympathectomized and anaesthetized dogs, 95
Roeleveld, K., Stegeman, D. F., Vingerhoets, H. M. & van Oosterom, A. Motor unit potential contribution to surface electromyography, 175

Sakai, A. *see* Asano, K.
Salomonsson, M. *see* Kornfeld, M.
Schütz, H. *see* Cvek, K.
Secher, N. H. *see* Pawelczyk, J. A., *see* Pott, F.
Secher, N. H. *see* Pott, F.
Skinner, S. L. *see* McConnell, G. K.
Sollevi, A. *see* Stånge, K.
Spannow, J. *see* Nielsen, S. H.
Stånge, K., Greitz, D., Ingvar, M., Hindmarsh, T. & Sollevi, A. Global cerebral blood flow during infusion of adenosine in humans: assessment by magnetic resonance imaging and positron emission tomography, 117
Stegeman, D. F. *see* Roeleveld, K.
Stephens, T. *see* Tuominen, J. A.
Stjärne, E. & Stjärne, L.
Stjärne, L. & Stjärne, E. Electrophysiological evidence that the twitch contraction of guinea-pig vas deferens is triggered by phasic activation of P_{2x}-purinoceptors, 295
Storck, N. *see* Jensen-Urstad, K.
Suarez-Kurtz, G. *see* Catinot, M. P.
Sundler, F. *see* Greiff, L.
Suzuki, J., Gao, M., Yahata, T., Kuroshima, A. & Koyama, T. Capillary geometry in the soleus muscle of rats cold-acclimatized for 68 generations, 243
Svensson, M. *see* Timar Peregrin, A.
Synnerstad, I., Persson, A. E. G. & Holm, L. Effect of inhibition of pentagastrin-stimulated acid secretion on gastric mucosal gland luminal pressure, 103
Syrén, M.-L. Effect of atrial natriuretic factor and fate of cyclic-guanosine-monophosphate in the rat kidney, 1

Terreros, D. A. *see* Kanli, H.
Thorén, P. *see* Johansson, C.
Thorén, P. *see* Jonsdottir, I. H.
Tiger, G. *see* Uhlén, S.
Timar Peregrin, A. Svensson, M. Jodal, M. & Lundgren, O. Calcium channels and intestinal fluid secretion: an experimental study *in vivo* in rats, 371
Timar Peregrin, A., Ahlman, H., Jodal, M. & Lundgren, O. Effects of calcium channel blockade on intestinal fluid secretion: sites of action, 379
Tobin, G. *see* Mirfendereski, S.
Tornquist, P. *see* Wang, L.
Tuominen, J. A., Ebeling, P., Heiman, M. L., Stephens, T. & Koivisto, V. A. Leptin and thermogenesis in humans, 83

Uhlén, S., Lindblom, J., Tiger, G. & Wikberg, J. E. S. Quantification of α_{2A} and α_{2C} adrenoceptors in the rat striatum and in different regions of the spinal cord, 407

Välimäki, I. *see* Kääpä, P.
van Oosterom, A. *see* Roeleveld, K.
Vingerhoets, H. M. *see* Roeleveld, K.

Wang, L. Törnquist, P. & Bill, A. Glucose metabolism in pig outer retina in light and darkness, 75
Wang, L., Törnquist, P. & Bill, A. Glucose metabolism of the inner retina in pigs in darkness and light, 71
Warberg, J. *see* Pawelczyk, J. A.
Whitson, P. A. & Chen, Y.-M. Salivary endothelin and its response to postural changes in humans, 291
Wikberg, J. E. S. *see* Uhlén, S.
Wilander, E. *see* Hällgren, A.
Williams, D. A. *see* Huxley, V. H.
Wollmer, P. *see* Greiff, L.

Yahata, T. *see* Gao, M.
Yahata, T. *see* Suzuki, J.
Yanagidaira,Y. *see* Asano, K.
Yoshimura, K. *see* Asano, K.

Zerani, M. see Miano, A.

© 1997 Scandinavian Physiological Society

Acta Physiol Scand 1997, **160**, 427–429

Subject index

A23187, 371
α_{2A}, 405
α_{2C}, 405
α-lactose, 315
Absorption, 387
ACE-inhibitor, 157
Adenosine triphosphate, 283
Adenosine, 117
Adrenaline, 23
Adrenoceptor, 405
Adults, 49
Afferent arteriole, 164
Age, 235
Airway, 387
Alkaline phosphatase/dipeptidyl peptase IV staining, 243
Amphibian, 277
Amylase, 15
Angiogenesis, 243
Angiotensin converting enzyme, 277
Angiotensin II, 164, 207
Arterial blood pressure, 251
ATP, 295
Atrial natriuretic peptide (ANP), 1, 9
Atropine, 363
Autonomic nervous system, 43

BBM vesicles, 185
Blood loss, 57
Blood pressure, 23, 257
Blood-flow, 15
Body temperature, 133
Brachial artery blood flow, 257
Bradykinin, 207
Brain, 123
BSA, 199

Ca channels, 229
Ca^{2+}-release channel, 199
Calcium channel antagonists, 379
Calcium channel blockers, 371
Calcium ionophore (A23187), 379
Calcium, 164
Calorimetry, 229
cAMP, 185
Capillarity, 67
Capillary domain area, 243
Capillary domain area, 67
Capillary proportion, 67
Carbon dioxide reactivity, 117
Carbon dioxide, 401
Cardiac arrest, 301
Cardiac basal metabolism, 229
Cardiac output, 23
Cardiopulmonary baroreceptors, 95
Cardiovascular reactivity, 29
Carotid-cardiac vagal baroreflex, 29
Catecholamines, 333
Cell volume, 267
Central venous pressure, 251
Cerebral blood flow, 43, 123, 251
Cerebral circulation, 117
Cervical, 407
cGMP inhibitor, 391
cGMP, 1
Children, 49
Cholecystitis, 195
Cholera toxin, 371, 379
Circadian, 133
Citrate synthase activity, 325
Cold acclimatization, 243
Cold adaptation, 67
Cold pressor, 29
Compliance, 89
Compression, 89
Coronary exchange capacity, 315
Coronary microcirculation, 315
Cortisol, 83

DA_1 receptor, 311
DA_2 receptor, 311
Dancers, 49
Dark adaptation, 71
Dehydration, 149
Denervation, 15
Dermis, 89
DNA synthesis, 207
Dopamine, 311
Doppler ultrasound, 257
Duodenum, 363

Electrical field stimulation, 219, 379
Electrocardiogram, 133
Electromyography, 175
Electrophysiology, 295
EMG, 341, 353
Enalapril, 157
Endothelin, 291
Endothelium, 209
Endothelium-derived nitric oxide, 57
Energetics, 229
Energy expenditure, 83
Enteric nervous system, 371
Enterochromaffin cells, 379
Erythrocytes, 123
Exercise intensities, 257
Exercise, 49, 251, 333
Exhaled air, 391
Exhaustion, 341
Extracellular, 1

Fatigue, 341
Flowmetry, 123
f_{mean}, 339
Frog serum, 277

Gall bladder, 195
Gastric acid, 103
Gastric gland, 103
Gastrointestinal tract, 157

© 1997 Scandinavian Physiological Society

Gender, 235
Glomeruli, 1
GLP-1, 411
Glucose metabolic clearance rate, 413
Glucose, 71, 75
Glutathione, 139
Goat, 9
Growth hormone, 83
Growth, 113
Guinea-pig vas deferens, 295
Guinea-pig, 399

[^{3}H]-MK912, 407
Heart rate variability, 235
Heart rate, 23, 43, 133, 149
Heart, 139
Hexamethonium, 363
HPLC, 291
HT29 cl.19 A monolayers, 185
Human colon, 185
Human, 117, 175, 235, 341
Hydration, 89
Hydrochloric acid, 363
Hypercapnia, 123
Hyperpolarization factor, 219
Hypertrophy, 327
Hypobaric hypoxia, 393
Hypoxia, 229

In vivo cytotoxicity, 333
Indomethacin, 195
Inflammation, 387
Inner retina, 71
Insulin, 83
Interstitial fluid pressure, 89
Interstitial fluid volume, 89
Intestinal fluid secretion, 379
Ischaemia-reperfusion, 139
Isolated perfused lung, 393
Isometric contraction, 353

K^+ channels, 219
K^+, 15
K^+-ATPase, 1
KCl efflux, 267
Kidney, 157
Knee extension, 339
Knee, extension, 353

Lactate, 71, 75
Lactation, 9
L-arginine, 195
Laser-Doppler microcirculation, 123
Left ventricle, 67
Leptin, 83
Light adaptation, 71
Light, 75
L-NAME, 57
Locomotor activity, 133
Lower airways, 401

Mammary gland, 9
Mean power frequency, 353
Meconium aspiration, 283
Mental arithmetic, 29
Metabolic acidosis, 57
Metabolism, 71
Mice, 133
Microalbuminuria, 301
Micropuncture, 103
Mitochondrial respiration, 139
Morphology, 341, 363
Motor unit, 175
MRI, 117
Mucosal permeability, 363
Muscle ischaemia, 23
Muscle, 49
Myocardial infarction, 301
Myoglobin, 325

Na^+, 1, 149
Na^+/glucose cotransporter, 185
Naloxone, 333
Natural killer cell, 333
Newt serum, 277
Nitric oxide synthase, 57
Nitric oxide synthesis inhibitor, 393
Nitric oxide, 195, 219, 363, 401
N-nitro-L-arginine methyl ester, 363
Noradrenaline, 23
Normal values, 235
NOS-inhibition, 57

ob gene, 83
Omeprazole, 103
Organ masses, 113
Oxidative damage, 139
Oxygen consumption, 113
Oxygen, 71, 75

PACAP, 15
Pentagastrin, 103
Performance, 149
Peripheral resistance, 23
Permeability, 315
PET, 117
Phorbol ester, 207
Plantaris muscle, 325
Plasma exudation, 387
Plasma sodium pump inhibitory activity, 95
Plasma, 291
Platelet-derived growth factor, 207
Porcine serum albumin, 315
Positive end-expiratory pressure, 401
Posture, 291
Pressor response, 393
Prostanoids, 195
Protein, 15
Proximal tubule, 267
Pulmonary hypertension, 283

Quail, 113

Radio-immunoassay, 291
Ranitidine, 103, 333
Rat, 67, 103, 325, 363, 407
Rate of glucose appearance, 413
Rate of glucose disappearance, 413
Renal function, 301
Renal nerves, 299
Renin-angiotensin system, 277
Retinal metabolism, 75

© 1997 Scandinavian Physiological Society

RMS, 339
Root mean square, 353
Ryanodine receptor, 199

Saline expansion, 95
Saliva, 291
Salivary glands, 15
Secretion, 15
Secreto-motonerve, 195
Serotonin (5-HT), 379
Sex, 49
Shock, 57
Short circuit current, 185, 379
SHRs, 333
Skeletal muscle capillarity, 243
Skeletal muscle, 199
Skinned fibres, 199
Sodium chloride, 157
Sodium, 1, 149
Somatostatin, 413
Spectral analysis, 235
Spinal cord, 407
Static handgrip, 257
Static, 341
Striatum, 407
Subtyeps, 407
Succinate dehydrogenase, 243
Surface EMG, 175
Survival, 57
Swine serum, 277

Tachyphylaxis, 164
TAL, 1
Taurine, 267
Telemetry, 133
Teleost, 267
Thermogenesis, 83
Thermoregulation, 149
Timolol, 333
Tissue ischaemia, 57
Training, 139
Transcranial Doppler, 43, 251
Transepithelial transport, 267
Triiodothyronine, 133
Twitch, 295

Ultrastructure, 387
Uptake area, 175
Urinary sodium excretion, 311

Vasoconstrictor agent, 207
Vasopressin, 149
Vasopressin, 363
Vastus lateralis muscle, 353
VIP, 15

Yucatan miniature swine, 315

© 1997 Scandinavian Physiological Society